

Product Specifications



1/4" Assorted Concrete Screw Anchor Kit

Part Number CK14
Category Number 4761
UPC 781002815174

The CK14 is a Concrete Anchor Kit that features three different lengths of 1/4" tempered concrete screws designed for long lasting performance and superior holding strength. Due to their unique thread design, they are the ideal fastening solution for light to medium duty applications in concrete, masonry block, brick, and wood base materials. They are manufactured with a gimlet point that taps it's own threads while drilling into the base material. Common applications for this fastener include the attachment of electrical boxes, light fixtures, and masonry base materials.



Physical Characteristics

| | |
|-------------------------|---------------------------|
| Install Tool | IT1000 |
| Bit | IB2PC |
| Type | Concrete Screw Anchor Kit |
| Drive Type | Hex/Slotted |
| Head Type | Hex Washer |
| Point Type | Gimlet |
| Size | 1-1/4" to 2-1/4" |
| Bit Size | #2 |
| Hex Size | 1/4" |
| Anchor Diameter | 1/4" |
| Material | Carbon Steel |
| Finish | Blue Xylan |
| Color | Blue |
| Number of Pieces | 60 |

Packaging Details

| | |
|-----------------------|--|
| Kit Contains | (20) 1/4" x 1-1/4", (20) 1/4" x 1-3/4", (20) 1/4" x 2-1/4" |
| Standard Qty | 1 |
| Master Qty | 6 |
| Price Per | 1 |
| Package Length | 8.40 |
| Package Width | 4.20 |
| Package Height | 1.20 |
| Net Weight | 1.26666 |
| Package Weight | 1.27 |
| Package Type | Six Compartment Box |

Performance Data

| | |
|-------------------------|---|
| Pre-Drill Size | 3/16" |
| Applications | Poured Concrete, Prestressed Concrete, Cinder Block, Brick and Mortar |
| Special Features | Hi-Low Threads, Gimlet Point, Corrosion Resistance, Most Popular Sizes, Designed for Close To Edge Fastening, Strong Grip, Corrosion Resistance, Case Hardened, Can be Loosened for Adjustment or Removed |
| Cement Type | Various PSI |

Certifications

| | |
|-----------------------|-----|
| RoHS Compliant | Yes |
|-----------------------|-----|