

ASSORTED NIPPLE CARDBOARD TOTE TRAYS



Black Iron Nipple

Ma-Line Tote Trays are packed with quality nipples manufactured from new mill tested pipe and conform with commercial standards CS-5-65 of the National Bureau of Standards, U.S. Dept. of Commerce.

The 1/2" Tote Tray contains a total of 66 pieces. (6 each of the following lengths) Close, 1-1/2", 2, 2-1/2", 3, 3-1/2", 4, 4-1/2", 5, 5-1/2", & 6.
Part # MA-1266T

The 3/4" Tote Tray contains a total of 66 pieces. (6 each of the following lengths) close, 1-1/2", 2, 2-1/2", 3, 3-1/2", 4, 4-1/2", 5, 5-1/2", & 6.
Part # MA-3466T

The 1" Tote Tray contains a total of 60 pieces. (6 each of the following lengths) Close 2, 2-1/2", 3, 3-1/2", 4, 4-1/2", 5, 5-1/2", & 6.
Part # MA-0160T

Part	Description	Per Ctn
MA-1266T	1/2" TRAY	4
MA-3466T	3/4" TRAY	4
MA-0160T	1" TRAY	4



SILICONE CAULK

Waterproofs, weatherproofs, FDA approved, permanently flexible, -60°F to +450°F, insulates, resealable. Meets FDA/USDA requirements for use in establishments operating under Federal Meat & Poultry Inspection Program. CFR 177.2600

Part	Description
MA-SSC-CK	Clear, 10.1 oz tube
MA-SSG-CK	Gray, 10.1 oz tube
MA-SSW-CK	White, 10.1 oz tube

LATEX FIRESTOP SEALANT





Features:

- Interior/Exterior use on virtually any surface.
- Remains Flexible
- VOC Compliant
- Excellent Freeze/Thaw properties
- Tested to ASTM E-814 (UL1479) Expands when exposed to Fire or Extreme Heat.

Part	Description	Per Ctn.
MA-81410	Latex Sealant, 10.1 oz. Tube	12

NIPPLE TRAY

Made of high impact plastic, drain holes in the bottom lets caddy drain. Bottom design holds nipples and will keep them out of water & other liquids.



Withstands harsh chemicals, acids and oils. When bent or crushed, will spring back into shape leaving no permanent damage.

Part	Description
MA-T1005	1/2" Tray
MA-T1007	3/4" Tray
MA-T1010	1" Tray
MA-T1057	1/2" & 3/4"

HIGH TEMP RED SILICONE CAULK




Waterproofs, weatherproofs, FDA approved, permanently flexible, -84°F to +500°F, insulates thermally and electrically. Resealable. Meets FDA/USDA requirements for use in establishments operating under Federal Meat & Poultry Inspection Program. CFR 177.2600

FORMULATED TO PERFORM AT TEMPERATURES RANGING FROM -84°F TO +500°F (-65°C TO +260°C) FOR CONTINUOUS OPERATION & TO +600°F (+316°C) FOR INTERMITTENT EXPOSURE.

Sold by Case of 12/Price per Each


Part	Description
MA-HTSS-R	High Temp Red Silicone Caulk, 10.1 oz. Tube

CAULKING GUNS



MA-101

E-Z thrust all steel caulkung gun for the professional tradesman. Rugged, dependable and economical!



MA-102

Deluxe Model E-Z Thrust all steel caulkung gun. Easy to load with removable cartridges. Heavy duty and reliable!

Part	Description
MA-101	E/Z Thrust Caulking Gun, All Steel
MA-102	Heavy Duty Deluxe Caulking Gun, All Steel