



Mueller Streamline Co. Headquarters

150 Schilling Blvd
Suite 201
Collierville, Tennessee 38017
United States
Phone: 901 753 3200

Mueller Streamline Co. International

525 Okeechobee Blvd
Suite 860
West Palm Beach, FL 33401
United States
Phone: 561 273 8300

ITEM # 40620500B6C, MINI SPLIT LINE SETS - PLAIN END

Streamline® Standard and Mini-split Line Sets are available with Duraguard UV™ (Coated Elastomeric) insulation. This high-quality insulation's durable polymeric jacket is designed to handle the toughest solar and weather conditions. Every Streamline® Line Set meets our rigorous standards for quality and consistency – made and assembled in the USA, UL Recognized to 700 PSI, compliant with ASTM B1003, and covered by a 10 year warranty.



[Specifications](#) | [Dimensions](#) | [Details](#)

Specifications

Line Set Type	Mini Split Line Sets
Weight	10.72 lb
SK Weight	85.76 lb
Material	C12200
UPC (EA / FT / CL)	685768440536

Insulation Material	Duraguard UV™ (coated)
Liquid Line Size	1/4"
Suction Line Size	3/8"
Insulation Wall Thickness	1/2"
90° Bends	NO
Standards	ASTM B1003 UL 700 PSI
Customization	NO
Finish Option 1 - Flare Fittings	NO
Finish Option 2 - Cable Gage	NO
Finish Option 3 - Cable Strands	NO
Finish Option 4 - T-stat Wire Gauge	NO
Finish Option 3 - T-stat Cable Strands	NO

Dimensions

Length	50 ft
Overall Height	5 in
Overall Length	32.5 in
Overall Width	32.5 in
SK Height	35 in
SK Length	34 in
SK Width	45.5 in

Details

EA/SK	8
Style	920

Type	9038
Mueller Description 1	Mini Split Line Sets
Mueller Description 2	50-406-1/2 B6 CER (7)
Mueller Description 3	MSLS - COATED ELASTOMERIC RUBBER