



### Mueller Streamline Co. Headquarters

150 Schilling Blvd  
Suite 201  
Collierville, Tennessee 38017  
United States  
Phone: 901 753 3200

### Mueller Streamline Co. International

525 Okeechobee Blvd  
Suite 860  
West Palm Beach, FL 33401  
United States  
Phone: 561 273 8300

## ITEM # 40820500B6C, MINI SPLIT LINE SETS - PLAIN END

Streamline® Standard and Mini-split Line Sets are available with Duraguard UV™ (Coated Elastomeric) insulation. This high-quality insulation's durable polymeric jacket is designed to handle the toughest solar and weather conditions. Every Streamline® Line Set meets our rigorous standards for quality and consistency – made and assembled in the USA, UL Recognized to 700 PSI, compliant with ASTM B1003, and covered by a 10 year warranty.



[Specifications](#) | [Dimensions](#) | [Details](#)

### Specifications

<b>Line Set Type</b>	Mini Split Line Sets
<b>Weight</b>	13.12 lb
<b>SK Weight</b>	91.84 lb
<b>Material</b>	C12200
<b>UPC (EA / FT / CL)</b>	685768440895

<b>Insulation Material</b>	Duraguard UV™ (coated)
<b>Liquid Line Size</b>	1/4"
<b>Suction Line Size</b>	1/2"
<b>Insulation Wall Thickness</b>	1/2"
<b>90° Bends</b>	NO
<b>Standards</b>	ASTM B1003 UL 700 PSI
<b>Customization</b>	NO
<b>Finish Option 1 - Flare Fittings</b>	NO
<b>Finish Option 2 - Cable Gage</b>	NO
<b>Finish Option 3 - Cable Strands</b>	NO
<b>Finish Option 4 - T-stat Wire Gauge</b>	NO
<b>Finish Option 3 - T-stat Cable Strands</b>	NO

## Dimensions

<b>Length</b>	50 ft
<b>Overall Height</b>	6.5 in
<b>Overall Length</b>	32.5 in
<b>Overall Width</b>	32.5 in
<b>SK Height</b>	35 in
<b>SK Length</b>	34 in
<b>SK Width</b>	45.5 in

## Details

<b>EA/SK</b>	7
<b>Style</b>	920

<b>Type</b>	9038
<b>Mueller Description 1</b>	Mini Split Line Sets
<b>Mueller Description 2</b>	50-408-1/2 B6 CER (5)
<b>Mueller Description 3</b>	MSLS - COATED ELASTOMERIC RUBBER