

## **Mueller Streamline Co. Headquarters**

150 Schilling Blvd Suite 201

Collierville, Tennessee 38017

**United States** 

Phone: 901 753 3200

## Mueller Streamline Co. International

525 Okeechobee Blvd Suite 860 West Palm Beach, FL 33401 **United States** 

Phone: 561 273 8300

## ITEM # W 40123, TEE, C X C X C, 2-1/2"

Streamline® Copper Solder-Joint Fittings for supply/pressurized systems have been the leading brand of copper fittings for over 80 years. Available in both wrot copper and cast bronze, our product selection has grown to become the most extensive in the industry. We are the acknowledged experts at engineering and manufacturing precision solder-joint copper fittings. Quality, consistency and reliability have made the Streamline® brand trusted and specified all around the world.

For use in above-



**+** more

## <u>Specifications</u> | <u>Dimensions</u> | <u>Details</u>

Specifications –				
	Weight	1.72 lb		
	Material	WROT COPPER		

Operating Temperature	<u>CDA-Copper-Fitting-Pressue-Temp-Ratings</u>
Operating Pressure	CDA-Copper-Fitting-Pressue-Temp-Ratings
End Type	C - Cup (Female Solder)
End Size	2 1/2
Second End Type	C - Cup (Female Solder)
Second End Size	2 1/2
Third End Type	C - Cup (Female Solder)
Third End Size	2 1/2
Standards	NSF 61G ASME B16.15 ASME B16.18 ASME B16.22 ASME B16.24 ASME B16.50 ASME B1.20.1

Dimensions –				
	Overall Length	5.66 in		
	Overall Height	4.22 in		
	Overall Width	2.76 in		

Details -				
Style	WT-600			
Qty Pcs / Bag	2			
Master Qty Pcs / Box	20			
Mueller Description 1	2-1/2 C X C X C TEE			
Mueller Description 2	2-5/8 OD TEE			
Mueller Description 2	2-5/8 OD TEE			